

Drug name	Recently used	Drug name	Recently used
MDMA/Ecstasy pills		PMA	
MDMA/Ecstasy powder		PMMA	
MDMA/Ecstasy crystal		Amyl nitrite/alkyl nitrite (poppers, jungle juice)	
MDMA/Ecstasy capsules		Nitrous oxide (nangs, bulbs)	
Methamphetamine powder (speed)		Cannabis	Prescribed/non-prescribed
Methamphetamine paste (base)		Tobacco	
Crystal methamphetamine (ice/shabu)		E-cigarettes	Prescribed/non-prescribed
Pharmaceutical stimulants (e.g., Ritalin/dexamfetamine/modafinil, lisdexamfetamine)	Prescribed/non-prescribed	Alcohol	
Babazine		Heroin	
Cocaine		Codeine	Prescribed/non-prescribed
LSD (acid)		Pharmaceutical Opioids	Prescribed/non-prescribed
Hallucinogenic mushrooms		Alprazolam (e.g., Xanax/Kalma)	Prescribed/non-prescribed
Kava		Other benzodiazepines (e.g., Valium/Serepax/ Diazepam)	Prescribed/non-prescribed
MDA		Steroids (non-prescribed)	
Non-prescribed Ketamine (special K)		Antipsychotics (e.g., Seroquel) (non-prescribed)	
GHB/GBL/1,4-BD (liquid E)		Unknown substance	
DMT			

Past Six-Month Drug Use Service Utilisation

SERVICE/PROFESSIONAL	
1	GP
2	Emergency Department
3	Hospital admission (inpatient)
4	Medical tent (at festival/rave)
	Dentist
5	Drug and alcohol counsellor
6	Hospital as outpatient
7	Specialist doctor (not including psychiatrists)
9	Other health professional (i.e. chiropractor, nurse, physiotherapist)
10	Ambulance attendance
13	Psychologist
11	Psychiatrist
15	Needle and syringe program
16	Peer-based harm reduction service (DanceWize, Save-A-Mate)
17	Other harm reduction service
18	Other (specify)

New Psychoactive Substances (NPS)

No.	Drug name
1	2C – any (e.g., 2C-I, 2C-B)
2	2 – Flurodeschloroketamine (2-FDCK)
3	3 CI-PCP/4CI-PCP
4	3-chloromethcathinone (e.g. 3-CMC; clophedrone)
5	3-HO-PCP/4-HO-PCP
6	3-MeO-PCP/4- MeO-PCP
41	3-Methylmethcathinone
42	4-chloromethcathinone
7	4-FA
8	5-MeO-DMT
9	8-Aminoclonazolam
43	Alpha PHP
10	Alpha PVP
11	Ayahuasca
12	Bromazolam
13	Clonazolam
14	Dimethylpentylone
15	Dox (e.g. DOB, DOC, DOI, DOM)
16	Etizolam
17	Flualprazolam
18	Kratom
19	MDPV
20	Mephedrone
21	Methylone
22	Methoxetamine
23	Mescaline
24	NBOH (e.g. 25I, 25B)
25	NBOMe (e.g., 25I, 25B, 25C other)
26	N-ethylpentylone (ephylone)
27	N-ethyl hexedrone

- | | |
|----|---------------------------------------------------------------------------------------|
| 28 | N-ethylbutylone (eutylone) |
| 29 | N, N-Dimethyl Pentylone |
| 30 | Pentylone |
| 31 | Phenibut |
| 32 | Salvia divinorum |
| 33 | Synthetic cannabinoids (e.g. CUMYL-PEGACLONE, 5F-CUMYL-PINACA, ADB-BUTINACA, FUB-AMB) |
| 34 | Other 'new' drugs that mimic the effect of opioids |
| 35 | Other 'new' drugs that mimic the effect of ecstasy |
| 36 | Other 'new' drugs that mimic the effects of amphetamines or cocaine |
| 37 | Other 'new' drugs that mimic the effects of psychedelic drugs like LSD |
| 38 | Other 'new' drugs that mimic the effects of benzodiazepines |
| 39 | Other 'new' drugs that mimic the effects of dissociatives like ketamine |
| 40 | Other new and emerging psychoactive substances |
| 97 | Don't know |
| 98 | Skip question |

Scale Sheet

K10 – LAST 4 WEEKS

These questions are related to how you have been feeling over the last 4 weeks. Remember, any information you provide is completely confidential.

1. None of the time
2. A little of the time
3. Some of the time
4. Most of the time
5. All of the time

Ecstasy/Meth SDS – LAST 6 MONTHS

This section is about how you felt about your ecstasy and/or methamphetamine use in the last 6 months.

1. Never or almost never
2. Sometimes
3. Often
4. Always or nearly always

AUDIT – LAST 12 MONTHS

These questions are related to your use of alcohol in the last year. Remember, any information you provide is completely confidential.

1. Never
2. Less than monthly
3. Monthly
4. Weekly
5. Daily or almost daily

STIGMA

In the past six months, to what extent do you think healthcare workers have treated you poorly because of your use of illicit drugs?

0. Never
1. Rarely
2. Sometimes
3. Often
4. Always
5. Haven't seen a specialist alcohol and other drug healthcare worker in the past 6 months

Modes of Purchasing

Social networking and messaging

apps: Refers to a type of online community such as Facebook or Instagram; messaging apps such as


Whatsapp and snapchat; and dating apps like grindr and tinder.



Surface web: Any website accessible without the need for any special connection routing with a '.com' address.



Dark web: Any website only accessible via The Onion Router (TOR) with a '.onion' URL (e.g. Dark Market, White House Market, Monopoly Market, Cannazon).



Face-to-Face: Refers to purchasing illicit drugs in person.



Risk Communication

Example drug warnings:

NSW Health has issued a drug warning:

Fentanyl and acetyl fentanyl are circulating in Sydney and may be sold as methamphetamine.

These drugs are dangerous and can cause overdose and death.

Look out for unexpected effects such as drowsiness, slow breathing, loss of consciousness

Stay safe:

- Ring 000 if you or anyone else experiences these symptoms
- Don't use alone
- Carry naloxone
- Test your drugs the best way you can

Drug Warning



Light blue “Lego” MDMA pills circulating in NSW

- Up to 3x common strength
- Dose may be variable in pill

Remember:

- Dropping in the heat is riskier
- High temps increase the neurotoxic effects of MDMA
- If you're planning on taking don't peak in the heat

Look out for:

- Excessive sweating or stopping sweating when active/hot
- Uncontrolled repetitive movements
- Confusion or agitation

Get your mates help if they are in trouble

Stay safe

- Stay as hydrated and as cool as possible
- Avoid mixing and don't use alone
- Seek medical help ASAP or call 000 if unwell

Nitrous oxide product size examples

Bulbs ~8g



Bottles $\leq 1000g$
(common sizes = 0.95L/~580g; 1L/~615g)



Bottles $>1000g$
(common sizes = 2.2L/~1100g; 3.3L/~2100g)

