

Drug name	Recently used	Drug name	Recently used
MDMA/Ecstasy pills		PMMA	
MDMA/Ecstasy powder		Amyl nitrite/Alkyl nitrite (poppers, jungle juice)	
MDMA/Ecstasy crystals		Nitrous Oxide (nangs, bulbs)	
MDMA/Ecstasy capsules		Cannabis	Prescribed/Non-prescribed
Methamphetamine powder (speed)		Tobacco	
Methamphetamine paste (base)		E-cigarettes	Prescribed/Non-prescribed
Crystal methamphetamine (ice/shabu)		Alcohol	
Pharmaceutical stimulants (e.g. Ritalin/dexamfetamine/modafinil, lisdexamfetamine)		Heroin	
Cocaine		Codeine	
LSD (acid)		Other pharmaceutical opioids (e.g. morphine, oxycodone)	Prescribed/Non-prescribed
Mushrooms		Alprazolam (e.g. Xanax, kalma)	Prescribed/Non-prescribed
Kava		Other benzodiazepines (e.g. Valium, serepax)	Prescribed/Non-prescribed
MDA			
Ketamine (special K)		Babazine	
GHB/GBL/1,4-BD (liquid E)		Steroids (non-prescribed)	
DMT		Antipsychotics (e.g. Seroquel)	
PMA		Unknown substance	

Past Six-Month Drug Use Service Utilisation

SERVICE/PROFESSIONAL	
1	GP
2	Emergency Department
3	Hospital admission (inpatient)
4	Medical tent (at festival/rave)
5	Drug and alcohol counsellor
6	Hospital as outpatient
7	Specialist doctor (not including psychiatrists)
8	Dentist
9	Other health professional (i.e. chiropractor, nurse, physiotherapist)
10	Ambulance attendance
11	Psychiatrist
12	Psychologist
13	Social or welfare worker
14	Legal aid/community legal centre
15	Needle and syringe program
16	Peer-based harm reduction service (DanceWize, Save-A-Mate)
17	Other harm reduction service
18	Other (specify)

New Psychoactive Substances (NPS)

No.	Drug name
1	2,3,4 – Methylmethcathinone
2	2C – any (e.g., 2C-I, 2C-B) 2-Fluorodeschloroketamine (2-FDCK)
3	3 CI-PCP/4CI-PCP
4	3-chloromethcathinone (e.g. 3-CMC; clophedrone)
5	3-HO-PCP/4-HO-PCP
6	3-MeO-PCP/4- MeO-PCP
7	4-FA
8	5-MeO-DMT
9	8-Aminoclonazepam
10	Alpha PVP
11	Ayahwasca
12	Bromazolam
13	Clonazolam
14	Dimethylpentylone
15	Dox (e.g. DOB, DOC, DOI, DOM)
16	Etizolam
17	Flualprazolam
18	Kratom
19	MDPV
20	Mephedrone
21	Methylone
22	Methoxetamine
23	Mescaline
24	NBOH (e.g. 25I, 25B)
25	NBOMe (e.g., 25I, 25B, 25C other)
26	N-ethylpentylone (ephylone)
27	N-ethyl hexedrone
28	N-ethylbutylone (eutylone)
29	N, N-Dimethyl Pentylone
30	Pentylone

- | | |
|----|---|
| 31 | Phenibut |
| 32 | Salvia divinorum |
| 33 | Synthetic cannabinoids (e.g. CUMYL-PEGACLONE, 5F-CUMYL-PINACA, ADB-BUTINACA, FUB-AMB) |
| 34 | Other 'new' drugs that mimic the effect of opioids |
| 35 | Other 'new' drugs that mimic the effect of ecstasy |
| 36 | Other 'new' drugs that mimic the effects of amphetamines or cocaine |
| 37 | Other 'new' drugs that mimic the effects of psychedelic drugs like LSD |
| 38 | Other 'new' drugs that mimic the effects of benzodiazepines |
| 39 | Other 'new' drugs that mimic the effects of dissociatives like ketamine |
| 40 | Other new and emerging psychoactive substances |
| 97 | Don't know |
| 98 | Skip question |

Scale Sheet

K10 – LAST 4 WEEKS

These questions are related to how you have been feeling over the last 4 weeks. Remember, any information you provide is completely confidential.

1. None of the time
2. A little of the time
3. Some of the time
4. Most of the time
5. All of the time

Ecstasy/Meth SDS – LAST 6 MONTHS

This section is about how you felt about your ecstasy and/or methamphetamine use in the last 6 months.

1. Never or almost never
2. Sometimes
3. Often
4. Always or nearly always

AUDIT – LAST 12 MONTHS

These questions are related to your use of alcohol in the last year. Remember, any information you provide is completely confidential.

1. Never
2. Less than monthly
3. Monthly
4. Weekly
5. Daily or almost daily

STIGMA

In the past six months, to what extent do you think healthcare workers have treated you poorly because of your use of illicit drugs?

0. Never
1. Rarely
2. Sometimes
3. Often
4. Always
5. Haven't seen a specialist alcohol and other drug healthcare worker in the past 6 months

Modes of Purchasing

Social networking apps:

Refers to a type of online community such as Facebook or Instagram; messaging apps such as WhatsApp, Telegram, Wickr and Snapchat; and dating apps like Grindr and Tinder.



Surface web:

Any website accessible without the need for any special connection routing with a '.com' address.



Dark web:

Any website only accessible via The Onion Router (TOR) with a '.onion' URL (e.g. Agora, AlphaBay, Middle Earth).



Face-to-Face:

Refers to purchasing illicit drugs in person.



Benzodiazepine Sourcing

No.	Drug name
1	No brand or drug name – unknown benzodiazepine
2	Alepam (oxazepam)
3	Alprazolam (generic)
4	Antenex (diazepam)
5	Bromazolam
6	Clonazepam (generic)
7	Clonazolam
8	Delorazepam
9	Deschloroetizolam
10	Diazepam (generic)
11	Diclazepam
12	Ducene (diazepam)
13	Etizolam
14	Flualprazolam
15	Flubromazepam
16	Flubromazolam
17	Fluclotizolam
18	Flunitrazepam (generic)
19	Flunitrazolam
20	Flutoprazepam
21	Hypnodorm (flunitrazepam)
22	Kalma (alprazolam)
23	Meclonazepam
24	Metizolam
25	Midazolam (generic)
26	Murelax (oxazepam)
27	Mylan (alprazolam)
28	Nifoxipam
29	Nitemazepam
30	Nitrazolam
31	Norflurazepam

- 32 Normison (temazepam)
- 33 Oxazepam (generic)
- 34 Paxam (clonazepam)
- 35 Phenazepam
- 36 Pyrazolam
- 37 Rivotril (clonazepam)
- 38 Serepax (oxazepam)
- 39 Stilnox (zolpidem)
- 40 Street Xanax
- 41 Street Valium
- 42 Temazepam (generic)
- 43 Temtabs (temazepam)
- 44 Valium (diazepam)
- 45 Xanax (alprazolam)
- 46 Xanax presses
- 47 Other (specify)
- 97 Don't know
- 98 Skip question

Risk Communication

Example drug warnings:

NSW Health has issued a drug warning:

Fentanyl and acetyl fentanyl are circulating in Sydney and may be sold as methamphetamine.

These drugs are dangerous and can cause overdose and death.

Look out for unexpected effects such as drowsiness, slow breathing, loss of consciousness

Stay safe:

- Ring 000 if you or anyone else experiences these symptoms
- Don't use alone
- Carry naloxone
- Test your drugs the best way you can

Drug Warning



Light blue “Lego” MDMA pills circulating in NSW

- Up to 3x common strength
- Dose may be variable in pill

Remember:

- Dropping in the heat is riskier
- High temps increase the neurotoxic effects of MDMA
- If you're planning on taking don't peak in the heat

Look out for:

- Excessive sweating or stopping sweating when active/hot
- Uncontrolled repetitive movements
- Confusion or agitation

Get your mates help if they are in trouble

Stay safe

- Stay as hydrated and as cool as possible
- Avoid mixing and don't use alone
- Seek medical help ASAP or call 000 if unwell